

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L17	1065017	light near source or led or light near emitting near diode	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/14 15:54
L18	9315	17 with beam with angle	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/14 15:55
L19	379	18 same filter	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/14 15:55
L20	7	19 and "345"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/14 15:56
L21	2480	angle near ("same" or equal) same 17	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/14 15:57
L22	215	21 same 18	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/14 15:57
L23	10	22 same filter	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/14 15:57
S1	12086	(light near source or led) same detector same beam same reflect\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/30 09:43
S2	2170	S1 same angle	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/30 08:42

EAST Search History

S3	27	S2 and "345"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/30 08:52
S4	816	beam with (angle or angular) same (angle with reflection with equal)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/30 08:53
S5	705	S4 and optical	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/30 08:54
S6	91	S4 same (detector or led or photo\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/30 08:54
S7	87574	(light near source or led or photo) near4 beam	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/30 09:44
S8	14846	S7 same detector	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/30 09:44
S9	175	S8 same (angle with (equal or "same"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/30 09:58
S10	45526	S7 same optic\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/30 09:58
S11	15941	S10 same detect\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/30 09:58
S12	142	S11 same (angle with (equal or "same"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/30 10:07

EAST Search History

S13	502883	optical near navigation or mouse or input near device	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/30 10:08
S14	280	S7 same S13	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/30 10:08
S15	109	S14 same detect\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/30 10:08
S16	47701	beam near2 angle	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/30 10:33
S17	14934	S16 same surface	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/30 10:33
S18	7	S17 same narrow near bandwidth	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/30 10:34
S19	1099556	S17 ssame detector	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/30 10:35
S20	1375	S17 same detector	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/30 10:35
S21	485	S20 same optical	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/30 10:35
S22	17	S21 same (angle near3("same" or equal))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/30 10:36

EAST Search History

S23	2806	reflect\$5 near2 (equal or "same") near2 angle	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/30 10:55
S24	89	S23 with detector	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/30 10:55
S25	796	(light near source or led or photodiode or photosensor) near3 beam near2 angle	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/30 11:22
S26	68	S25 same detector	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/30 11:22
S27	1	light near source near2 angle near2 beam same (detector near2 angle)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/30 11:42
S28	261	light near source near2 angle near2 beam	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/30 11:42
S29	17	S28 same detector	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/30 11:42
S30	25	vs sel	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/01 13:56
S31	7248	vc sel	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/01 13:56
S32	1985	S31 same beam	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/01 13:56

EAST Search History

S33	54	S32 same bandwidth	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/01 13:56
S34	260	narrow near bandwidth same LED	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/01 15:52
S35	30	S34 same detector	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/01 15:45
S36	68	S34 same filter	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/01 15:46
S37	100	narrow near bandwidth with LED	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/01 15:53
S38	16	S37 same beam	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/01 15:53

Day : Friday
Date: 9/14/2007


PALM INTRANET

Time: 17:38:08

Inventor Name Search Result

Your Search was:

Last Name = XIE

First Name = TONG

Application#	Patent#	Status	Date Filed	Title	Inventor Name
<u>09192972</u>	6038406	150	11/16/1998	STORING INFORMATION FROM A WRITABLE CAMERA DISPLAY	XIE, TONG
<u>09213733</u>	Not Issued	161	12/17/1998	Remotely controlled digital camera for displaying and storing digital images and corresponding audio information	XIE, TONG
<u>09505161</u>	Not Issued	161	02/16/2000	Hybrid camera taking lens	XIE, TONG
<u>09970343</u>	6885791	150	10/03/2001	INTEGRATED-OPTIC DEVICE AND A METHOD FOR ATTENUATING LIGHT OR EQUALIZING LIGHT USING INTEGRATED-OPTIC DEVICE	XIE, TONG
<u>09970344</u>	6567589	150	10/03/2001	INTEGRATED-OPTIC OUT-COUPLER DEVICE AND A METHOD FOR MAKING AND USING THE SAME	XIE, TONG
<u>09970347</u>	Not Issued	161	10/03/2001	Integrated-optic device and a method for operating on light	XIE, TONG
<u>10420449</u>	7084985	150	04/22/2003	HIGH-RESOLUTION OPTICAL SPECTRUM ANALYZER	XIE, TONG
<u>10439674</u>	Not Issued	41	05/16/2003	Interferometer based navigation device	XIE, TONG
<u>10612655</u>	Not Issued	133	07/02/2003	Fuel cell powered optical navigation device	XIE, TONG
<u>10630169</u>	Not Issued	71	07/30/2003	Method and device for optical navigation	XIE, TONG
<u>10652638</u>	Not Issued	41	08/29/2003	Position determination that is responsive to a retro-reflective object	XIE, TONG
<u>10655944</u>	Not Issued	41	09/04/2003	Method and system for optically tracking a target using a	XIE, TONG

				triangulation technique	
<u>10655946</u>	Not Issued	71	09/04/2003	Apparatus for optical navigation	XIE, TONG
<u>10680525</u>	<u>7161682</u>	150	10/06/2003	METHOD AND DEVICE FOR OPTICAL NAVIGATION	XIE, TONG
<u>10687431</u>	Not Issued	80	10/16/2003	Tracking motion using an interference pattern	XIE, TONG
<u>10697421</u>	<u>7116427</u>	150	10/30/2003	LOW POWER CONSUMPTION, BROAD NAVIGABILITY OPTICAL MOUSE	XIE, TONG
<u>10698589</u>	<u>7054009</u>	150	10/31/2003	METHOD AND APPARATUS FOR ULTRA-HIGH SENSITIVITY OPTICAL DETECTION OF BIOLOGICAL AND CHEMICAL AGENTS	XIE, TONG
<u>10742384</u>	<u>6934037</u>	150	12/19/2003	SYSTEM AND METHOD FOR OPTICAL NAVIGATION USING A PROJECTED FRINGE TECHNIQUE	XIE, TONG
<u>10758981</u>	<u>7078672</u>	150	01/16/2004	METHOD AND SYSTEM FOR OPTICALLY TRACKING A TARGET USING AN INTERFEROMETRIC TECHNIQUE	XIE, TONG
<u>10759646</u>	<u>7184022</u>	150	01/16/2004	POSITION DETERMINATION AND MOTION TRACKING	XIE, TONG
<u>10805814</u>	Not Issued	41	03/22/2004	Apparatus for controlling the position of a screen pointer with low sensitivity to particle contamination	XIE, TONG
<u>10806367</u>	Not Issued	61	03/22/2004	Contaminant-resistant optical mouse and cradle	XIE, TONG
<u>10826799</u>	Not Issued	93	04/15/2004	OPTICAL DEVICE THAT MEASURES DISTANCE BETWEEN THE DEVICE AND A SURFACE	XIE, TONG
<u>10827864</u>	Not Issued	71	04/20/2004	Illumination spot alignment	XIE, TONG
<u>10918504</u>	<u>7220956</u>	150	08/13/2004	OPTICAL MOUSE WITH REDUCED POWER CONSUMPTION	XIE, TONG
<u>10931577</u>	Not Issued	41	09/01/2004	Apparatus for controlling the position of a screen pointer with low sensitivity to fixed pattern noise	XIE, TONG

<u>10931584</u>	<u>7166831</u>	150	09/01/2004	OPTICAL MOUSE WITH REPLACEABLE CONTAMINANT BARRIER	XIE, TONG
<u>10975172</u>	Not Issued	61	10/28/2004	Optical navigation system for vehicles	XIE, TONG
<u>10977720</u>	<u>7189985</u>	150	10/30/2004	TRACKING SEPARATION BETWEEN AN OBJECT AND A SURFACE USING A REDUCING STRUCTURE	XIE, TONG
<u>10980401</u>	Not Issued	61	11/03/2004	System and method for accurately tracking printable material	XIE, TONG
<u>11019603</u>	Not Issued	30	12/21/2004	Apparatus for classifying a material by analyzing the material's surface, and related systems and method	XIE, TONG
<u>11019605</u>	Not Issued	83	12/21/2004	2 Dimensional laser-based optical printer encoder	XIE, TONG
<u>11040021</u>	Not Issued	30	01/19/2005	Optical slide pad	XIE, TONG
<u>11048470</u>	Not Issued	41	01/31/2005	Collimating lens structures	XIE, TONG
<u>11083796</u>	<u>7119323</u>	150	03/18/2005	ERROR CORRECTED OPTICAL NAVIGATION SYSTEM	XIE, TONG
<u>11083837</u>	Not Issued	30	03/18/2005	Optical navigation system	XIE, TONG
<u>11085282</u>	<u>7244925</u>	150	03/21/2005	COMPACT AND LOW PROFILE OPTICAL NAVIGATION DEVICE	XIE, TONG
<u>11112024</u>	Not Issued	30	04/22/2005	Optical location measuring system	XIE, TONG
<u>11123814</u>	Not Issued	41	05/06/2005	Light source control in optical pointing device	XIE, TONG
<u>11129196</u>	Not Issued	30	05/12/2005	Integrated optical mouse	XIE, TONG
<u>11181042</u>	Not Issued	30	07/13/2005	Apparatus and method for integrating an optical navigation mechanism with non-optical sensor-based presence detector	XIE, TONG
<u>11183108</u>	Not Issued	30	07/15/2005	Hand-held device with indication of ergonomic risk condition	XIE, TONG
<u>11183501</u>	Not Issued	30	07/18/2005	Secure portable memory mouse device	XIE, TONG
<u>11200631</u>	Not Issued	25	08/10/2005	Subcutaneous tissue imager	XIE, TONG
<u>11225441</u>	Not	30	09/13/2005	Navigation device with a contoured	XIE, TONG

	Issued			region that provides tactile feedback	
11238472	Not Issued	30	09/29/2005	Systems and methods for 3-D imaging	XIE, TONG
11254034	Not Issued	30	10/19/2005	Pattern detection using an optical navigation device	XIE, TONG
11273972	Not Issued	30	11/14/2005	User control input device	XIE, TONG
11274456	Not Issued	30	11/14/2005	Method of capturing user control inputs	XIE, TONG
11518962	Not Issued	30	09/11/2006	Camera with an image sensor that doubles as a motion sensor	XIE, TONG

[Search and Display More Records.](#)

Search Another: Inventor

Last Name	First Name	
<input type="text" value="XIE"/>	<input type="text" value="TONG"/>	<input type="button" value="Search"/>

To go back use Back button on your browser toolbar.

Back to [PALM](#) | [ASSIGNMENT](#) | [OASIS](#) | [Home page](#)

Day : Friday
Date: 9/14/2007


PALM INTRANET

Time: 17:38:15

Inventor Name Search Result

Your Search was:

Last Name = DEPUE

First Name = MARSHALL

Application#	Patent#	Status	Date Filed	Title	Inventor Name
<u>10033201</u>	6804059	150	12/27/2001	WIDE-BAND TUNABLE OPTICAL FILTER USING ELECTROHOLOGRAMS WRITTEN INTO PHOTOREFRACTIVE CRYSTALS	DEPUE, MARSHALL T.
<u>10630169</u>	Not Issued	71	07/30/2003	Method and device for optical navigation	DEPUE, MARSHALL T.
<u>10652638</u>	Not Issued	41	08/29/2003	Position determination that is responsive to a retro-reflective object	DEPUE, MARSHALL T.
<u>10680525</u>	7161682	150	10/06/2003	METHOD AND DEVICE FOR OPTICAL NAVIGATION	DEPUE, MARSHALL T.
<u>10687431</u>	Not Issued	80	10/16/2003	Tracking motion using an interference pattern	DEPUE, MARSHALL T.
<u>10697421</u>	7116427	150	10/30/2003	LOW POWER CONSUMPTION, BROAD NAVIGABILITY OPTICAL MOUSE	DEPUE, MARSHALL T.
<u>10698589</u>	7054009	150	10/31/2003	METHOD AND APPARATUS FOR ULTRA-HIGH SENSITIVITY OPTICAL DETECTION OF BIOLOGICAL AND CHEMICAL AGENTS	DEPUE, MARSHALL T.
<u>10742384</u>	6934037	150	12/19/2003	SYSTEM AND METHOD FOR OPTICAL NAVIGATION USING A PROJECTED FRINGE TECHNIQUE	DEPUE, MARSHALL T.
<u>10759646</u>	7184022	150	01/16/2004	POSITION DETERMINATION AND MOTION TRACKING	DEPUE, MARSHALL T.
<u>10805814</u>	Not Issued	41	03/22/2004	Apparatus for controlling the position of a screen pointer with low sensitivity to particle contamination	DEPUE, MARSHALL T.

<u>10806367</u>	Not Issued	61	03/22/2004	Contaminant-resistant optical mouse and cradle	DEPUE, MARSHALL T.
<u>10975172</u>	Not Issued	61	10/28/2004	Optical navigation system for vehicles	DEPUE, MARSHALL T.
<u>10977720</u>	<u>7189985</u>	150	10/30/2004	TRACKING SEPARATION BETWEEN AN OBJECT AND A SURFACE USING A REDUCING STRUCTURE	DEPUE, MARSHALL T.
<u>10980401</u>	Not Issued	61	11/03/2004	System and method for accurately tracking printable material	DEPUE, MARSHALL T.
<u>11183108</u>	Not Issued	30	07/15/2005	Hand-held device with indication of ergonomic risk condition	DEPUE, MARSHALL T.
<u>11183501</u>	Not Issued	30	07/18/2005	Secure portable memory mouse device	DEPUE, MARSHALL T.
<u>11238472</u>	Not Issued	30	09/29/2005	Systems and methods for 3-D imaging	DEPUE, MARSHALL T.
<u>10027498</u>	<u>6668107</u>	150	12/21/2001	METHOD AND APPARATUS FOR REDUCING OPTICAL INSERTION LOSS IN PLANAR LIGHTWAVE CIRCUITS THROUGH DIELECTRIC PERTURBATION OPTIMIZATION	DEPUE, MARSHALL THOMAS
<u>10188390</u>	<u>6868222</u>	150	07/01/2002	OPTICAL ATTENUATOR USING A PRETURBATION ELEMENT WITH A MULTI-MODE WAVEGUIDE	DEPUE, MARSHALL THOMAS
<u>10612655</u>	Not Issued	133	07/02/2003	Fuel cell powered optical navigation device	DEPUE, MARSHALL THOMAS
<u>10655944</u>	Not Issued	41	09/04/2003	Method and system for optically tracking a target using a triangulation technique	DEPUE, MARSHALL THOMAS
<u>10826799</u>	Not Issued	93	04/15/2004	OPTICAL DEVICE THAT MEASURES DISTANCE BETWEEN THE DEVICE AND A SURFACE	DEPUE, MARSHALL THOMAS
<u>10931577</u>	Not Issued	41	09/01/2004	Apparatus for controlling the position of a screen pointer with low sensitivity to fixed pattern noise	DEPUE, MARSHALL THOMAS
<u>10931584</u>	<u>7166831</u>	150	09/01/2004	OPTICAL MOUSE WITH REPLACEABLE CONTAMINANT BARRIER	DEPUE, MARSHALL THOMAS
<u>11019603</u>	Not	30	12/21/2004	Apparatus for classifying a	DEPUE,

	Issued			material by analyzing the material's surface, and related systems and method	MARSHALL THOMAS
<u>11019605</u>	Not Issued	83	12/21/2004	2 Dimensional laser-based optical printer encoder	DEPUE, MARSHALL THOMAS
<u>11129196</u>	Not Issued	30	05/12/2005	Integrated optical mouse	DEPUE, MARSHALL THOMAS
<u>11500066</u>	Not Issued	30	08/07/2006	Test system incorporating a field effect transistor sensor	DEPUE, MARSHALL THOMAS
<u>10758981</u>	<u>7078672</u>	150	01/16/2004	METHOD AND SYSTEM FOR OPTICALLY TRACKING A TARGET USING AN INTERFEROMETRIC TECHNIQUE	DEPUE, MARSHALL THOMAS
<u>11200631</u>	Not Issued	25	08/10/2005	Subcutaneous tissue imager	DEPUE, MARSHALL THOMAS

Inventor Search Completed: No Records to Display.

Search Another: Inventor **Last Name** **First Name**

To go back use Back button on your browser toolbar.

Back to [PALM](#) | [ASSIGNMENT](#) | [OASIS](#) | [Home page](#)

Day : Friday
Date: 9/14/2007

PALM INTRANET

Time: 17:38:20

Inventor Name Search Result

Your Search was:

Last Name = BANEY

First Name = DOUGLAS

Application#	Patent#	Status	Date Filed	Title	Inventor Name
<u>09549267</u>	<u>6724785</u>	150	04/14/2000	TUNABLE FABRY-PEROT FILTERS AND LASERS WITH REDUCED FREQUENCY NOISE	BANEY, DOUGLAS M
<u>09326338</u>	<u>6486984</u>	150	06/07/1999	WAVELENGTH MONITOR USING HYBRID APPROACH	BANEY, DOUGLAS M.
<u>09483177</u>	<u>6548801</u>	150	01/13/2000	SYSTEM AND METHOD FOR OPTICAL HETERODYNE DETECTION OF AN OPTICAL SIGNAL	BANEY, DOUGLAS M.
<u>09488149</u>	<u>6970250</u>	150	01/20/2000	METHOD AND SYSTEM FOR OPTICAL HETERODYNE DETECTION OF AN OPTICAL SIGNAL THAT UTILIZES OPTICAL ATTENUATION	BANEY, DOUGLAS M.
<u>09506195</u>	<u>6256103</u>	150	02/17/2000	System and method for optical heterodyne detection of an optical signal	BANEY, DOUGLAS M.
<u>09506196</u>	<u>6259529</u>	150	02/17/2000	Wavelength-selective polarization-diverse optical heterodyne receiver	BANEY, DOUGLAS M.
<u>09550548</u>	<u>6538748</u>	150	04/14/2000	TUNABLE FABRY-PEROT FILTERS AND LASERS UTILIZING FEEDBACK TO REDUCE FREQUENCY NOISE	BANEY, DOUGLAS M.
<u>09586404</u>	<u>6535289</u>	150	06/02/2000	SYSTEM AND METHOD FOR OPTICAL HETERODYNE DETECTION OF AN OPTICAL SIGNAL	BANEY, DOUGLAS M.
<u>09591443</u>	<u>6768830</u>	150	06/09/2000	OPTICAL ADD/DROP SWITCH UTILIZING A MINIMAL NUMBER OF SWITCHING CROSSPOINTS	EY, DOUGLAS M.

<u>09643374</u>	<u>6766115</u>	150	08/22/2000	MULTIPOINT OPTICAL COMPONENT TESTING USING A SINGLE OPTICAL RECEIVER	BANEY, DOUGLAS M.
<u>09644062</u>	<u>6614955</u>	150	08/22/2000	METHOD AND APPARATUS FOR AN EXTENDED WAVELENGTH RANGE COHERENT OPTICAL SPECTRUM ANALYZER	BANEY, DOUGLAS M.
<u>09684371</u>	<u>7027743</u>	150	10/05/2000	SYSTEM AND METHOD FOR OPTICAL HETERODYNE DETECTION OF AN OPTICAL SIGNAL INCLUDING OPTICAL PRE-SELECTION THAT IS ADJUSTED TO ACCURATELY TRACK A LOCAL OSCILLATOR SIGNAL	BANEY, DOUGLAS M.
<u>09755527</u>	<u>6470105</u>	150	01/05/2001	BISTABLE LIGHT PATH DEVICE	BANEY, DOUGLAS M.
<u>09811220</u>	<u>6515276</u>	150	03/17/2001	HETERODYNE OPTICAL SPECTRUM ANALYZER WITH PROVISIONS FOR INTENSITY NOISE SUBTRACTION	BANEY, DOUGLAS M.
<u>09841393</u>	<u>6486958</u>	150	04/24/2001	METHOD AND SYSTEM FOR OPTICAL SPECTRUM ANALYSIS WITH MATCHED FILTER DETECTION	BANEY, DOUGLAS M.
<u>09851758</u>	<u>6486961</u>	150	05/08/2001	SYSTEM AND METHOD FOR MEASURING GROUP DELAY BASED ON ZERO-CROSSINGS	BANEY, DOUGLAS M.
<u>09854070</u>	<u>6590666</u>	150	05/11/2001	METHOD AND SYSTEM FOR OPTICAL SPECTRUM ANALYSIS WITH NON-UNIFORM SWEEP RATE CORRECTION	BANEY, DOUGLAS M.
<u>09909364</u>	Not Issued	161	07/19/2001	Polarization diversity receiver with planar waveguide and polarizing beam splitter	BANEY, DOUGLAS M.
<u>09940741</u>	<u>6606158</u>	150	08/28/2001	DETERMINATION OF A PROPERTY OF AN OPTICAL DEVICE	BANEY, DOUGLAS M.
<u>09967832</u>	<u>6687006</u>	150	09/28/2001	HETERODYNE BASED OPTICAL SPECTRUM ANALYSIS WITH REDUCED DATA ACQUISITION REQUIREMENT	BANEY, DOUGLAS M.

<u>10001315</u>	Not Issued	161	10/24/2001	Optical systems and methods using selectable electro-holograms	BANEY, DOUGLAS M.
<u>10033201</u>	<u>6804059</u>	150	12/27/2001	WIDE-BAND TUNABLE OPTICAL FILTER USING ELECTROHOLOGRAMS WRITTEN INTO PHOTOREFRACTIVE CRYSTALS	BANEY, DOUGLAS M.
<u>10081071</u>	<u>6810066</u>	150	02/20/2002	FIBER-COUPLED TUNABLE SINGLE-MODE LONG-WAVELENGTH VERTICAL-CAVITY LASER	BANEY, DOUGLAS M.
<u>10081102</u>	<u>6788395</u>	150	02/20/2002	COHERENT ANALYZER FOR MULTI-PORT OPTICAL NETWORKS	BANEY, DOUGLAS M.
<u>10081774</u>	<u>6750973</u>	150	02/20/2002	TEST STRUCTURE FOR SIMULTANEOUSLY CHARACTERIZING TWO PORTS OF AN OPTICAL COMPONENT USING INTERFEROMETER-BASED OPTICAL NETWORK ANALYSIS	BANEY, DOUGLAS M.
<u>10097690</u>	<u>6744791</u>	150	03/12/2002	RARE EARTH-DOPED MEDIUM WITH PHOTOREFRACTIVE GRATING AS COMPACT LASER SOURCE	BANEY, DOUGLAS M.
<u>10099480</u>	<u>6825934</u>	150	03/14/2002	VIBRATION NOISE MITIGATION IN AN INTERFEROMETRIC SYSTEM	BANEY, DOUGLAS M.
<u>10157682</u>	<u>7009691</u>	150	05/29/2002	SYSTEM AND METHOD FOR REMOVING THE RELATIVE PHASE UNCERTAINTY IN DEVICE CHARACTERIZATIONS PERFORMED WITH A POLARIMETER	BANEY, DOUGLAS M.
<u>10162752</u>	<u>7061957</u>	150	06/04/2002	EXTERNAL CAVITY LASER HAVING A SET ATMOSPHERE	BANEY, DOUGLAS M.
<u>10225512</u>	<u>6947147</u>	150	08/21/2002	DE-EMBEDMENT OF OPTICAL COMPONENT CHARACTERISTICS AND CALIBRATION OF OPTICAL RECEIVERS USING RAYLEIGH BACKSCATTER	BANEY, DOUGLAS M.
<u>10271132</u>	<u>6862377</u>	150	10/15/2002	SYSTEM AND METHOD FOR PMD MEASUREMENT FROM	BANEY, DOUGLAS M.

				COHERENT SPECTRAL ANALYSIS	
<u>10279436</u>	<u>7012697</u>	150	10/24/2002	HETERODYNE BASED OPTICAL SPECTRUM ANALYSIS WITH CONTROLLED OPTICAL ATTENUATION	BANEY, DOUGLAS M.
<u>10305597</u>	<u>6882428</u>	150	11/27/2002	OPTICAL ANALYZER AND METHOD FOR REDUCING RELATIVE INTENSITY NOISE IN INTERFEROMETRIC OPTICAL MEASUREMENTS USING A CONTINUOUSLY TUNABLE LASER	BANEY, DOUGLAS M.
<u>10306139</u>	Not Issued	51	11/27/2002	Programmable integrated-optical device and a method for making and using the same	BANEY, DOUGLAS M.
<u>10355334</u>	Not Issued	41	01/31/2003	Polarization resolving heterodyne optical receiver	BANEY, DOUGLAS M.
<u>10420449</u>	<u>7084985</u>	150	04/22/2003	HIGH-RESOLUTION OPTICAL SPECTRUM ANALYZER	BANEY, DOUGLAS M.
<u>10612655</u>	Not Issued	133	07/02/2003	Fuel cell powered optical navigation device	BANEY, DOUGLAS M.
<u>10630169</u>	Not Issued	71	07/30/2003	Method and device for optical navigation	BANEY, DOUGLAS M.
<u>10634358</u>	<u>7023557</u>	150	08/05/2003	PARALLEL INTERFEROMETRIC MEASUREMENTS USING AN EXPANDED LOCAL OSCILLATOR SIGNAL	BANEY, DOUGLAS M.
<u>10634952</u>	<u>6977720</u>	150	08/05/2003	CHARACTERIZATION OF ACTIVE AND PASSIVE OPTICAL PROPERTIES OF AN OPTICAL DEVICE	BANEY, DOUGLAS M.
<u>10639571</u>	<u>6993051</u>	150	08/12/2003	EXTERNAL CAVITY TUNABLE LASER WITH PROVISIONS FOR INTRACAVITY OPTICAL REFLECTION SUPPRESSION	BANEY, DOUGLAS M.
<u>10652638</u>	Not Issued	41	08/29/2003	Position determination that is responsive to a retro-reflective object	BANEY, DOUGLAS M.
<u>10655944</u>	Not Issued	41	09/04/2003	Method and system for optically tracking a target using a triangulation technique	BANEY, DOUGLAS M.
<u>10685325</u>	Not Issued	120	10/14/2003	Synchronizing the filter wavelength of an optical filter with the	BANEY, DOUGLAS M.

				wavelength of a swept local oscillator signal	
10697421	7116427	150	10/30/2003	LOW POWER CONSUMPTION, BROAD NAVIGABILITY OPTICAL MOUSE	BANEY, DOUGLAS M.
10741952	Not Issued	80	12/18/2003	Optical navigation based on laser feedback or laser interferometry	BANEY, DOUGLAS M.
10758981	7078672	150	01/16/2004	METHOD AND SYSTEM FOR OPTICALLY TRACKING A TARGET USING AN INTERFEROMETRIC TECHNIQUE	BANEY, DOUGLAS M.
10759646	7184022	150	01/16/2004	POSITION DETERMINATION AND MOTION TRACKING	BANEY, DOUGLAS M.
10785590	Not Issued	161	02/23/2004	Traffic communication system	BANEY, DOUGLAS M.
10800073	Not Issued	41	03/11/2004	Method and system for superheterodyne detection of an optical input signal	BANEY, DOUGLAS M.

[Search and Display More Records.](#)

Search Another: Inventor	Last Name	First Name	
	<input type="text" value="BANEY"/>	<input type="text" value="DOUGLAS"/>	<input type="button" value="Search"/>

To go back use Back button on your browser toolbar.

Back to [PALM](#) | [ASSIGNMENT](#) | [OASIS](#) | [Home page](#)